



0038

KINEGAR QUARRIES LIMITED  
The Neuk  
Cockburnspath  
Berwickshire  
TD13 5YH

**GLENFIN 2.8/6 Gc85/15 +68 PSV**

21  
0038/CPR/LRQ/4001332/B/4

**BS EN 13043:2002**  
**Aggregates for Bituminous Mixtures and surface treatments for roads, airfields and other trafficked areas.**

| Essential Characteristics                                      | Performance                     | EN13043-2002                         |  |
|--|---------------------------------|--------------------------------------|--|
| Aggregate Type   | Natural Stone Aggregate         | Declared                             |  |
| Particle Size  | Glenfin 2.8/6<br>Gc85/15 +68PSV | Designation<br>Tolerance<br>Category |  |
| Particle Density (Apparent)                                    | 2.76 Mg/m <sup>3</sup>          | Declared Value                       |  |
| Water Absorption   | WA <sub>24</sub> 2.5            | Declared Value                       |  |
| Resistance to Fragmentation/<br>Crushing                       | LA <sub>20</sub>                | Category                             |  |
| Magnesium Sulphate   | MS <sub>18</sub>                | Category                             |  |
| Polished Stone Value   | PSV <sub>68</sub>               | Category                             |  |
| Aggregate Abrasion Value                                       | AAV <sub>10</sub>               | Category                             |  |
| Determination of the affinity between<br>Aggregate and Bitumen | Nil                             | Category                             |  |
| Micro Deval Coefficient  | MDe <sub>46</sub>               | Declared                             |  |

Signed \_\_\_\_\_ Arnot Findlay (DIRECTOR)

## Declaration of Performance

(The construction Products(Amendment etc)(EU Exit) Regulation 2019 No465)

DOP NO: 001

**Product:** GLENFIN 2.8/6 Gc85/15 +68 PSV

**Batch No:** As detailed on weighbridgeticket.

**Intended use:** Within the harmonised standard BS EN 13043-2002 Aggregates for bituminous mixtures and surface treatments for roads, airfields and other trafficked areas.

**Manufacturer:** KINEGAR QUARRIES LTD  
The Neuk  
Cockburnspath  
Berwickshire  
TD13 5YH

**Manufacturing plant:** GLENFIN QUARRY

**Contact Name:** Arnot Findlay, Director

**System of assessment:** System 2+

**Name and address of conformity assessment body:**

Lloyds Register Verification, c/o Lloyds Register, Trinity Park, 1 Bickenhill Lane, Birmingham, B37 7ES

**Notified body/ number: 0038**

**FPC Certificate number: 0038/CPR/LRQ 4001332/B/4**

**Standard:** BS EN 13043:2002

**Description of the product:** Aggregates for bituminous mixtures

Name: Arnot Findlay

Position: Director, Kinegar Quarries Ltd

Date:

Signed \_\_\_\_\_ Arnot Findlay (DIRECTOR)

### Declaration of performance

| Essential Characteristics                                      | Performance                      | EN13043-2002                             |  |
|--|----------------------------------|--|--|
| Aggregate Type   | Natural Stone Aggregate          | Declared                                 |  |
| Particle Size  | Glenfin 2.8/6<br>Gc85/15 +68 PSV | Designation<br><br>Tolerance<br>Category |  |
| Particle Density (Apparent)                                    | 2.76 Mg/m <sup>3</sup>           | Declared Value                           |  |
| Water Absorption   | WA <sub>24</sub> 2.5             | Declared Value                           |  |
| Resistance to Fragmentation/<br>Crushing                       | LA <sub>20</sub>                 | Category                                 |  |
| Magnesium Sulphate   | MS <sub>18</sub>                 | Category                                 |  |
| Polished Stone Value   | PSV <sub>68</sub>                | Category                                 |  |
| Aggregate Abrasion Value                                       | AAV <sub>10</sub>                | Category                                 |  |
| Determination of the Affinity between<br>Aggregate and Bitumen | Nil                              | Category                                 |  |
| Micro Deval Coefficient  | MDe <sub>46</sub>                | Declared                                 |  |
|  |                                  |  |  |

The performance of the product identified above is in conformity with the set of declared performance/s This declaration of performance is issued in accordance with The construction Products Regulation 2019 No465 under the sole responsibility of the manufacturer identified above.

Name: Arnot Findlay

Position: Director, Kinegar Quarries Ltd

Date:

Signed \_\_\_\_\_ Arnot Findlay (DIRECTOR)